

Major Land Resource Area 144A

New England and Eastern New York Upland, Southern Part

Accessed: 05/11/2025

Ecological site keys

144A PES Key

1a. Soils not permanently submerged in water

2a. Soils native, not anthropogenic (Not Human Altered Human Transported [HAHT])

3a. Soils without organic layer ("O" horizon) or organic layer < 40 cm (16") in thickness –Mineral Soils

4a. Parent material of glaciated nature; glaciolacustrine, glaciofluvial, or glacial till (not alluvium)

5a. Glaciated Parent material water-deposited (glaciofluvial, glaciolacustrine)

6a. Glaciated meltwater fluvial deposits (glaciofluvial/outwash)

7a. Soils well-drained to excessively well drained

8a. Soils somewhat excessively drained to excessively drained

9a. Soils nutrient rich; higher base saturation - Semi-rich Dry Outwash ...

F144AY021MA – Semi-Rich Dry Outwash

9b. Soils not nutrient rich; lower base saturation – Dry Outwash ... F144AY022MA – Dry Outwash

8b. Soils well drained

10a. Soils nutrient rich; higher base saturation – Semi-rich Moist Outwash ...

F144AY025MA – Semi-Rich Moist Outwash

10b. Soils not nutrient rich; lower base saturation

11a. Soils without eolian mantle (loess) – Well Drained Outwash ... F144AY023CT – Well Drained Outwash

11b. Soils with eolian mantle (loess) – Well Drained Eolian Outwash ...

F144AY024NY – Well Drained Eolian Outwash

7b. Soils moderately well-drained to very poorly drained

12a. Soils moderately well drained

13a. Soils nutrient rich; higher base saturation – Semi-rich Moist Outwash ...

F144AY025MA – Semi-Rich Moist Outwash

13b. Soils not nutrient rich; lower base saturation

14a. Surface texture silty – Moist Silty Outwash ... F144AY026CT – Moist Silty Outwash

14a. Surface texture sandy – Moist Sandy Outwash ... F144AY027MA – Moist Sandy Outwash

12b. Soils poorly to very poorly drained

15a. Soils poorly drained

16a. Soils nutrient rich; higher base saturation – Semi-rich Wet Outwash ...

F144AY029NY – Semi-Rich Wet Outwash

16b. Soils not nutrient rich; lower base saturation – Wet Outwash ...

F144AY028MA – Wet Outwash

15b. Soils Very Poorly Drained

17a. Soils nutrient rich; higher base saturation – Semi-rich Very Wet Outwash ...

- F144AY030NY – Semi-Rich Very Wet Outwash
- 17b. Soils not nutrient rich; lower base saturation – Very Wet Outwash ...
F144AY031MA – Very Wet Outwash
- 6b. Glaciated lakewater deposits (glaciolacustrine)
 - 18a. Soils well drained – Well Drained Lake Plain ... F144AY017NH – Well Drained Lake Plain
 - 18b. Soils moderately well drained to very poorly drained
 - 19a. Soils moderately well drained and somewhat poorly drained – Moist Lake Plain ...
F144AY018NY – Moist Lake Plain
 - 19b. Soils poorly or very poorly drained
 - 20a. Soils poorly drained – Wet Lake Plain ... F144AY019NH – Wet Lake Plain
 - 20b. Soils very poorly drained – Very Wet Coastal Lake Plain ... F144AY020MA – Very Wet Coastal Lake Plain
- 5b. Glaciated parent material ice-deposited (glacial till)
 - 21a. Soils well drained to excessively drained
 - 22a. Soils somewhat excessively to excessively drained
 - 23a. Soils shallow (< 50cm) to bedrock – Shallow Dry Till Uplands ... F144AY033MA – Shallow Dry Till Uplands
 - 23b. Soils moderately deep or deep to bedrock – Dry Till Uplands ... F144AY032NH – Dry Till Uplands
 - 22b. Soils well drained
 - 24a. Soils nutrient rich; higher base saturation
 - 25a. Soils shallow (< 50cm) to bedrock – Shallow Semi-rich Well Drained Till Uplands ...
F144AY035MA – Shallow Semi-Rich Well Drained Till Uplands
 - 25b. Soils moderately deep or deep to bedrock – Semi-rich Well Drained Till Uplands ...
F144AY036NY – Semi-Rich Well Drained Till Uplands
 - 24b. Soils not nutrient rich; lower base saturation
 - 26a. Soils moderately deep to densic contact -Well Drained Dense Till Uplands ...
F144AY007CT – Well Drained Dense Till Uplands
 - 26b. Soils deep to contact – Well Drained Till Uplands ... F144AY034CT – Well Drained Till Uplands
 - 21b. Soils moderately well to very poorly drained
 - 27a. Soils moderately well drained
 - 28a. Soils nutrient rich; higher base saturation – Semi-rich Moist Till Uplands ...
F144AY038NY – Semi-Rich Moist Till Uplands
 - 28b. Soils not nutrient rich; lower base saturation
 - 29a. Soils moderately deep to densic contact – Moist Dense Till Uplands ...
F144AY037MA – Moist Dense Till Uplands
 - 29b. Soils deep to contact – Moist Till Uplands ... F144AY008CT – Moist Till Uplands
 - 27b. Soils poorly to very poorly drained
 - 30a. Soils poorly drained
 - 31a. Soils nutrient rich; higher base saturation – Semi-rich Wet Till Depressions ...
F144AY039NY – Semi-Rich Wet Till Depressions
 - 31b. Soils not nutrient rich; lower base saturation – Wet Till Depressions ...
F144AY009CT – Wet Till Depressions
 - 30b. Soils very poorly drained
 - 32a. Soils nutrient rich; higher base saturation – Semi-rich Very Wet Till Depressions ...
F144AY040NY – Semi-Rich Very Wet Till Depressions
 - 32b. Soils not nutrient rich; lower base saturation – Very Wet Till Depressions ...

F144AY041MA – Very Wet Till Depressions

4b. Parent material Alluvium; landform a floodplain

33a. Soils excessively drained to well drained

34a. Soils excessively drained – High Floodplain Levee ... F144AY006CT – High Floodplain Levee

34b. Soils well drained - Sandy High Floodplain ... F144AY010NH – Sandy High Floodplain

33b. Soils moderately well drained to very poorly drained

35a. Soils moderately well drained – Sandy Low Floodplain ... F144AY012CT – Sandy Low Floodplain

35b. Soils poorly to very poorly drained

36a. Soils poorly drained

37a. Soil texture coarse-sandy – Wet Sandy Low Floodplain ... F144AY014CT – Wet Sandy Low Floodplain

37b. Soil texture coarse-silty – Wet Silty Low Floodplain ... F144AY015NY – Wet Silty Low Floodplain

36b. Soils very poorly drained – Very Wet Low Floodplain F144AY016MA ... F144AY016MA – Very Wet Low Floodplain

3Bb. Soils with organic layer ("O" horizon) ≥ 40 cm (16") in thickness – Organic Soils

38a. Soils formed in freshwater environments

39a. Wetland mineralogy nutrient rich; euic soil reaction class – Semi-rich Organic Wetlands ... F144AY042NY – Semi-Rich Organic Wetlands

39b. Wetland mineralogy nutrient poor; dysic soil reaction class – Acid Organic Wetlands ... F144AY043MA ... F144AY043MA – Acidic Organic Wetlands

38b. Soils formed in salt/brackish environments

40a. Tidally flooded daily – Tidal Low Marsh ... R144AY002CT – Tidal Salt High Marsh mesic very frequently flooded

40b. Tidally flooded twice a month – Tidal High Marsh ... R144AY001CT – Tidal Salt Low Marsh mesic very frequently flooded

2b. Soils anthropogenic (Human Altered Human Transported [HAHT] -Urban Soils

41a. HAHT material dredged

42a. Soils excessively to moderately well drained - Dredgic Material

42b. Soils somewhat poorly to poorly drained - Wet Dredgic Material

41b. HAHT material not dredged; either methanogenic, combustic, spolic, or pauciartifactic, or artifactic

43a. HAHT material methanogenic (landfill soils) – Landfills

43b HAHT material not methanogenic; either combustic, spolic, pauciartifactic & artifactic

44a. HAHT material combustic (coal combustion)

45a. Soils somewhat excessively drained to moderately well drained – Ashy

45b. Soils somewhat poorly to poorly drained – Wet Ashy

44b. HAHT material not combustic; either spolic or pauciartifactic & artifactic

46a. Soils spolic (clean fill, <10% artifacts) - Clean Fill

46b. Soils pauciartifactic & artifactic (>10% artifacts, mostly construction debris) – Artifactic

1b. Soils permanently (>21hrs/day) submerged in water - Subaqueous Soils

47a. Soils formed in freshwater

48a. Soils formed in submerged mineral deposits - Subaqueous Freshwater Mineral Deposits ... R144AY045RI – Subaqueous Freshwater Mineral Deposits

48b. Soils formed in submerged organic deposits - Subaqueous Freshwater Organic Deposits ... R144AY046RI – Subaqueous Freshwater Organic Deposits

47b. Soils formed in salt and/or brackish water

- 49a. Soils formed in submerged glacial deposits - Subaqueous Haline Glacial Deposits ... R144AY049RI – Subaqueous Haline Slopes
- 49b. Soils formed in marine or estuarine deposits
 - 50a. Soils formed in low energy environments (lagoon & bay bottoms, stream valleys, coves) - Subaqueous Haline Low Energy Basins ... R144AY048RI – Subaqueous Haline Low Energy Basins
 - 50b. Soils formed in high energy environments
 - 51a. Landform a washover fan slope - Subaqueous Haline Slopes ... R144AY049RI – Subaqueous Haline Slopes
 - 51b. Landform a washover fan flat or flood tidal delta flat - Subaqueous Haline Flats ... R144AY050RI – Subaqueous Haline Flats

key2. Key 2 is a strict dichotomous key w/ paired couplets. 7 HAHT PES were added as reserves to be developed in EDIT (NBarrett)

MLRA 144A Outline

I. Soils permanently (>21hrs/day) submerged in water

A. Soils formed in freshwater

- 1 Soils formed in submerged organic deposits ... R144AY046RI – Subaqueous Freshwater Organic Deposits
- 2 Soils formed in submerged mineral deposits ... R144AY045RI – Subaqueous Freshwater Mineral Deposits

B. Soils formed in salt and/or brackish water

- 1 Soils formed in submerged glacial deposits ... R144AY047RI – Subaqueous Haline Glacial Deposits
- 2 Soils formed in marine or estuarine deposits
 - i. Soils formed in low energy environments (lagoon & bay bottoms, stream valleys, coves) ... R144AY048RI – Subaqueous Haline Low Energy Basins
 - ii. Soils formed in high energy environments
 - a. Landform a washover fan flat or flood tidal delta flat ... R144AY050RI – Subaqueous Haline Flats
 - b. Landform a washover fan slope ... R144AY049RI – Subaqueous Haline Slopes

II. Soils not permanently submerged in water

A. Soils with organic layer ("O" horizon) ≥ 16" in thickness

- 1 Soils formed in freshwater environments
 - i. Wetland mineralogy nutrient poor; Dysic soil reaction class ... F144AY043MA – Acidic Organic Wetlands
 - ii. Wetland mineralogy nutrient rich; Euic soil reaction class ... F144AY042NY – Semi-Rich Organic Wetlands
- 2 Soils formed in salt/brackish environments
 - i. Tidally flooded daily ... R144AY001CT – Tidal Salt Low Marsh mesic very frequently flooded
 - ii. Tidally flooded twice a month ... R144AY002CT – Tidal Salt High Marsh mesic very frequently flooded

B. Soils without organic layer ("O" horizon) or organic layer < 16" in thickness

- 1 Parent material alluvium; landform a floodplain
 - i. Soils excessively drained ... F144AY006CT – High Floodplain Levee
 - ii. Soils well, moderately well, somewhat poorly, poorly or very poorly drained
 - a. Soils hydric; drainage class somewhat poorly, poorly or very poorly drained
 - 1) Soils very poorly drained ... F144AY016MA – Very Wet Low Floodplain
 - 2) Soils somewhat poorly or poorly drained

b. Soils not hydric; drainage class well, moderately well

1) Soils well drained

a) Soil texture coarse-silty

b) Soil texture coarse-loamy ... F144AY010NH – Sandy High Floodplain

2) Soils moderately well drained

a) Soil texture coarse-silty

b) Soil texture coarse-loamy ... F144AY012CT – Sandy Low Floodplain

2 Parent material glacial till, glaciofluvial, or glaciolacustrine; landform not a floodplain

i. Parent material glaciolacustrine

a. Soils well drained ... F144AY017NH – Well Drained Lake Plain

b. Soils moderately well, somewhat poorly, poorly or very poorly drained.

1) Soils moderately well and somewhat poorly drained ... F144AY018NY – Moist Lake Plain

2) Soils poorly or very poorly drained

a) Soils poorly drained ... F144AY019NH – Wet Lake Plain

b) Soils very poorly drained ... F144AY020MA – Very Wet Coastal Lake Plain

ii. Parent material glacial till or glaciofluvial

a. Soils extremely to moderately acid ... F144AY022MA – Dry Outwash

b. Soils moderately acid to moderately alkaline ... F144AY021MA – Semi-Rich Dry Outwash

3 Soil depth < 20" to Bedrock

i. Bedrock lithology limestone

ii. Bedrock lithology granite, gneiss, or schist